

# Tank Lorry

- Fuel Tank Lorry
- Water Tank Lorry
- Vacuum Lorry
- Water Cannon Truck





# Fuel Tank Lorry

- EZCON Fuel Tank Lorries are designed to transporting liquid fuel, to oil reservoirs or gas stations. They feature a 4-way valve and a gear pump which store or exhaust fuel oil from the tank in a 4-step cycle of suction, discharge, stop and drain.
- The Fuel Tank Lorries range in capacity from 5,000 liters to 22,000 liters depending on the choice of the chassis. They can be optionally configured with a flow meter.

● EZC-TD5TF 4x2



Vehicle	Engine	D4AF, D4DC, D4DB, D4DB-d, D4DD
	Wheel Base	Short : 2,750mm
	Dimension	5,200 x 2,000 x 2,195
Body	Dimension	2,860 x 1,930 x 1,090
	Volume	5000 Liter
	Material (Thickness)	Steel (3.2 ~ 4mm)
	Epoxy Coating	Standard
	PTO Type	Transmission PTO
	Pump capacity	300 L/min

● EZC-TD6TF 4x2



Vehicle	Engine	D4AF, D4DC, D4DB, D4DB-d, D4DD
	Wheel Base	Short : 2,750mm
	Dimension	5,200 x 2,000 x 2,195
Body	Dimension	2,860 x 1,930 x 1,090
	Volume	6000 Liter
	Material(Thickness)	Steel (3.2 ~ 4mm)
	Epoxy Coating	Standard
	PTO Type	Transmission PTO
	Pump capacity	300 L/min

● EZC-TD7TF 4x2



Vehicle	Engine	D6BR, D6GA
	Wheel Base	Short : 3,795mm
	Dimension	6,765 x 2,195 x 2,505
Body	Dimension	3,800 x 1,930 x 1,090
	Volume	7000 Liter
	Material(Thickness)	Steel (3.2 ~ 4mm)
	Epoxy Coating	Standard
	PTO Type	Transmission PTO
	Pump capacity	600 L/min

● EZC-TD8TF 4x2



Vehicle	Engine	D6BR, D6GA
	Wheel Base	Short : 3,795mm
	Dimension	6,765 x 2,195 x 2,700
Body	Dimension	4,000 x 2,030 x 1,300
	Volume	8000 Liter
	Material(Thickness)	Steel (3.2 ~ 4mm)
	Epoxy Coating	Standard
	PTO Type	Transmission PTO
	Pump capacity	600 L/min

# Fuel Tank Lorry

EZC-TD10TF 6X4



Vehicle	Engine	DX12 (Euro-II/III, DX12TIS (Euro-III))	
	Wheel Base	Short : 5,675mm	
	Dimension	8,815 x 2,580x 3,300	
Body	Dimension	4,500 x 2,350 x 1,520	
	Volume	10,000 Liter	
	Material (Thickness)	Mild Steel (3.2 ~ 4.5mm)	
	Epoxy Coating	Option	
	PTO Type	Transmission PTO	
	Pump capacity	100-1000 L/Min	

EZC-TD12TF 6X4



Vehicle	Engine	D6AC (Euro1/Euro2), D6CB3H (Euro3)	
	Wheel Base	Short : 5,650(4,350 +1,300)mm	
	Dimension	9,650 x 2,495 x 3,180	9,950 x 2,495 x 3,260
Body	Dimension	6,000 x 2,350 x 1,520	6,500 x 2,400 x 1,700
	Volume	12,000 Liter	16,000 Liter
	Material(Thickness)	Steel (3.2 ~ 4mm)	
	Epoxy Coating	Option	
	PTO Type	Transmission PTO	
	Pump capacity	100-1,000 L/Min	

EZC-TD18TF 6X4



Vehicle	Engine	D6AC (Euro1), D6CA (Euro2), D6CA3H (Euro2)	
	Wheel Base	Short : 7,040mm	
	Dimension	11,300 x 2,495 x 3,100	
Body	Dimension	8,300 x 2,350 x 1,520	
	Volume	10,000 Liter	
	Material(Thickness)	Steel (3.2 ~ 4mm)	
	Epoxy Coating	Option	
	PTO Type	Transmission PTO	
	Pump capacity	100-1000 L/Min	

EZC-TD20TF 6X4



Vehicle	Engine	D6AC (Euro1/Euro2), D6CB3H (Euro3)	
	Wheel Base	Short : 5,650 (4,350+1,300) mm	
	Dimension	9,650 x 2,495 x 3,180	9,950 x 2,495 x 3,260
Body	Dimension	6,000 x 2,350 x 1,520	6,500 x 2,400 x 1,700
	Volume	20,000 Liter	21,000 Liter
	Material(Thickness)	Steel (3.2 ~ 4mm)	
	Epoxy Coating	Option	
	PTO Type	Transmission PTO	
	Pump capacity	100-1,000L/min	

EZC-TD22TF 6X8



Vehicle	Engine	D6AC (Euro1), D6CA (Euro2), D6CA3H (Euro2)	
	Wheel Base	Short : 7,040mm	
	Dimension	11,300 x 2,495 x 3,100	
Body	Dimension	8,300 x 2,350 x 1,520	
	Volume	22,000 Liter	
	Material(Thickness)	Steel (3.2 ~ 4mm)	
	Epoxy Coating	Option	
	PTO Type	Transmission PTO	
	Pump capacity	1,00-1,000L/min	

# Water Tank Lorry

- EZCON Water Tank Lorries offer a reliable way of delivering water for a variety of purposes - drinking, farming or irrigation. They employ a self-priming centrifugal pump and a number of 2-way valves to store water in the tank.
- EZCON Water Tank Lorries offer a powerful, high-performance self-priming centrifugal pump with high head pressure. The total head of the pump, measured by combining vertical suction and discharge heights, reaches meters for the Below all model. The comparable figure we can built 10-12 meters for the customers requirement and specific design.

EZC-TD2.5WT



Vehicle	Engine	D4AF, D4DC (Euro1), D4DB(Euro2)	
	Wheel Base	Short : 2,750mm	
	Dimension	5,165 x 2,000 x 2,195	
Body	Dimension	2,640 x 1,500 x 870	
	Volume	2,500 Liter	
	Material, Thickness	Stainless or Steel, 3mm	
	Pump	Type	Centrifugal
		Capacity	200 L /min
PTO Type		Transmission PTO	

EZC-TD4WT



Vehicle	Engine	D4AF, D4DC, D4DB, D4DB-d, D4DD	
	Wheel Base	Long : 3,735mm, Short : 2,750mm	
	Dimension	5,165 x 2,000 x 2,195	
Body	Dimension	3,000 x 1,780 x 990	
	Volume	4,000 Liter	
	Material, Thickness	Stainless or Steel, 3mm	
	Pump	Type	Centrifugal
		Capacity	100-200 L /min
PTO Type		Transmission PTO	

EZC-TD5WT



Vehicle	Engine	D6BR, D6GA	
	Wheel Base	Short : 3,795mm	
	Dimension	6,765 x 2,195 x 2,505	
Body	Dimension	3,700 x 1,820 x 1,010	
	Volume	5,000 Liter	
	Material, Thickness	Stainless or Steel, 3mm	
	Pump	Type	Centrifugal
		Capacity	100-400 L /min
PTO Type		Transmission PTO	

EZC-TD10WT



Vehicle	Engine	DX12 (Euro-II/III, DX12TIS (Euro-III)	
	Wheel Base	Short : 5,675mm	
	Dimension	8,815 x 2,580x 3,300	
Body	Dimension	4,560 x 2,300 x 1,300	
	Volume	10,000 Liter	
	Material, Thickness	Stainless or Steel, 3 ~ 5mm	
	Pump	Type	Centrifugal/Others
		Capacity	100-600 L /min
PTO Type		Transmission PTO	

# Water Tank Lorry

EZC-TD14WT



Vehicle	Engine	D6AC(Euro1/Euro2), D6CB3H (Euro3)	
	Wheel Base	Short : 5,650 (4,350+1,300)mm	
	Dimension	9,650 x 2,495 x 3,130	
Body	Dimension	5,780 x 2,300 x 1,380	
	Volume	14,000	
	Material, Thickness	Stainless or Steel, 4mm	
	Pump	Type	Centrifugal
		Capacity	600 l/min
PTO Type		Transmission PTO	

EZC-TD16WT



Vehicle	Engine	D6AV(Euro1), D6CA(Euro2), D6CA3H(Euro2)	
	Wheel Base	Short : 7,040(1,700+4,040+1,300)mm	
	Dimension	11,395 x 2,495 x 31,40	
Body	Dimension	8,240 x 2,300 x 1,380	
	Volume	16,000 Liter	
	Material, Thickness	Stainless or Steel, 4mm	
	Pump	Type	Centrifugal
		Capacity	1,000 l/min
PTO Type		Transmission PTO	

EZC-TD18WT



Vehicle	Engine	D6AC (Euro1/Euro2), D6CB3H (Euro3)	
	Wheel Base	Short : 5,650(4,350+1,300)mm	
	Dimension	9,650 x 2,495 x 3,130	
Body	Dimension	5,780 x 2,300 x 1,380	
	Volume	18,000 Liter	
	Material, Thickness	Stainless or Steel, 4mm	
	Pump	Type	Centrifugal
		Capacity	600 l/min
PTO Type		Transmission PTO	

EZC-TD20WT



Vehicle	Engine	D6AV(Euro1), D6CA(Euro2), D6CA3H(Euro2)	
	Wheel Base	Short : 7,040(1,700+4,040+1,300)mm	
	Dimension	11,395 x 2,495 x 31,40	
Body	Dimension	8,240 x 2,300 x 1,380	
	Volume	20,000 Liter	
	Material, Thickness	Stainless or Steel, 4mm	
	Pump	Type	Centrifugal
		Capacity	1,000 l/min
PTO Type		Transmission PTO	

EZC-TD22WT



Vehicle	Engine	D6AC, D6CB3H	
	Wheel Base	Short : 5,650(4,350+1,300)mm	
	Dimension	9,010 x 2,490 x 3,240	
Body	Dimension	5,800 x 2,350 x 1,515	
	Volume	22,0000 Liter	
	Material	Steel	
	Pump	Type	Centrifugal Pump
		Capacity	1,000 l /min
PTO Type		Transmission PTO	

# Vacuum Lorry

- EZCON Vacuum Lorries are an ideal solution for transporting liquid environmental wastes. They utilize a highly efficient vacuum pump that sucks in or discharges load by pressurizing or vacuuming the inside of the tank.

Also, the tank, made of high-tension rolled steel sheets, is highly robust. The epoxy coating on the inside of the tank, a standard feature for all proposed model number, ensures strong resistance against corrosion.

EZC-VL3.5HD



Vehicle	Engine	D4AF, D4DC, D4DB, D4DB-d, D4DD	
	Wheel Base	Short : 2,750mm	
	Dimension	5,260 x 2,020 x 2,500	
Body	Dimension	3,080 x 1,700 x 950	
	Volume	3,500 Liter	
	Epoxy Coating	Standard	
	Vacuum Pump Capacity	4,000 l /min	

EZC-VL5HD



Vehicle	Engine	D6BR, D6GA	
	Wheel Base	Short : 3,795mm	
	Dimension	6,765 x 2,195 x 2,505	6,765 x 2,195 x 2,520
Body	Dimension	4,020 x 1,780 x 990	4,390 x 1,810 x 1,095
	Volume	5,000	6,000
	Epoxy Coating	Standard	
	Vacuum Pump Capacity	6,000 l /min	

EZC-VL10HD



Vehicle	Engine	D6AV(GENERAL), D6AV(Euro1), D6AB-D(Euro2)	
	Wheel Base	Short : 4,395mm	
	Dimension	7,820 x 2,495 x 2,955	
Body	Dimension	4,560 x 2,300 x 1,380	
	Volume	10,000	
	Epoxy Coating	Option	
	Vacuum Pump Capacity	6,000 l /min	

EZC-VL13HD



Vehicle	Engine	D6AC(Euro1/Euro2), D6B3H(Euro3)	
	Wheel Base	Short : 5,650 (4,350 + 1,300)mm	
	Dimension	9,650 x 2,495 x 3,180	6,650 x 2,495 x 3,180
Body	Dimension	6,460 x 2,220 x 1,250	5,920 x 2,350 x 1,516
	Volume	13,000	16,000
	Epoxy Coating	Option	
	Vacuum Pump Capacity	6,000 l /min + 6,000 l /min	

EZC-VL18HD



Vehicle	Engine	D6AC(Euro1/Euro2), D6B3H(Euro3)	
	Wheel Base	Short : 5,650 (4,350 + 1,300)mm	
	Dimension	9,650 x 2,495 x 3,180	6,650 x 2,495 x 3,180
Body	Dimension	6,460 x 2,220 x 1,250	5,920 x 2,350 x 1,516
	Volume	18,000 Liter	20,000 Liter
	Epoxy Coating	Option	
	Vacuum Pump Capacity	6,000 l /min + 6,000 l /min	

# Water Cannon Truck

- EZCON Water Cannon Trucks use high-pressured jet streams of water to disperse demonstrators in riot control situations. Equipped with water, foam and tear gas tanks, they are also effective in fighting fires.
- Controlled from a monitor in the cabin, the sprays can reach as far as 60 meters.
- The cabin is shield by a self-protective device against violent rioters.

EZC-TD6WC



Vehicle	Engine	D6AV, D6AB-D	
	Wheel Base	Short : 4,395mm	
	Dimension	7,940 x 2,550 x 3,675	
Body	Auxiliary	Model	D4DA/DX12 (Hyundai/Daewoo)
	Engine	Power	125 ps
	Water	Throwing Distance	50m (Roof-2set), 30m(Bumper-1set)
	Cannon	Control	Zoom type (Remote control in cabin)
	Water	Volume	6,500 Liter
	Tank	Material	Stainless
	Proportion Tank	Foam(100l), Tear Gas(100l), Pigment(100l)	

EZC-TD10WC



Vehicle	Engine	DX12 (Euro-II/III, DX12TIS (Euro-III)	
	Wheel Base	Short : 5,650 (4,350 + 1,300) mm	
	Dimension	8,815 x 2,580x 3,300	
Body	Auxiliary	Model	D4DA/DX12 (Hyundai/Daewoo)
	Engine	Power	420ps(309kw) / 1,900rpm
	Water	Throwing Distance	70m (Roof-2set), 30m(Bumper-1set)
	Cannon	Control	Zoom type (Remote control in cabin)
	Water	Volume	10,000 Liter
	Tank	Material	Stainless
	Proportion Tank	Foam (150l), Tear Gas(150l), Color (150l)	

EZC-TD15WC



Vehicle	Engine	D6AC, D6CB3H	
	Wheel Base	Short : 5,650(4,350 + 1,300)mm	
	Dimension	9,195 x 2,550 x 3,675	
Body	Auxiliary	Model	D4DA (Hyundai)
	Engine	Power	125 ps/420 ps
	Water	Throwing Distance	70m (Roof-2set), 30m(Bumper-1set)
	Cannon	Control	Zoom type (Remote control in cabin)
	Water	Volume	15,000 Liter
	Tank	Material	Stainless
	Proportion Tank	Foam (150l), Tear Gas(150l), Color (150l)	